

POOL MAINTENANCE RECORDS

CAH: Total Hardness

TAC: Chlorine

FAC: Free Chlorine

TA: Total Alkalinity

CYA: Cyanuric Acid

TAC & FAC should be the same, if not shock with liquid chlorine

Filter pressure must be taken in pool mode

Turn On pump before adding chemicals

8 ounces each of Stain and Scale, Poly 30, Clarifier

<p>Date: _____</p> <p>Filter</p> <p>CAH Clarity</p> <p>TAC</p> <p>FAC</p> <p>PH</p> <p>CYA</p> <p>Filter Pressure</p> <p>Chemicals Added:</p> <p>Sanitizer PH</p> <p>Algaecide CLAR</p> <p>Bicarb CALC</p> <p>Shock S&S</p> <p>PHOS2(Pro)</p> <p>CYA</p> <p>Other</p>	<p>Date: _____</p> <p>Filter</p> <p>CAH Clarity</p> <p>TAC</p> <p>FAC</p> <p>PH</p> <p>CYA</p> <p>Filter Pressure</p> <p>Chemicals Added:</p> <p>Sanitizer PH</p> <p>Algaecide CLAR</p> <p>Bicarb CALC</p> <p>Shock S&S</p> <p>PHOS2(Pro)</p> <p>CYA</p> <p>Other</p>	<p>Date: _____</p> <p>Filter</p> <p>CAH Clarity</p> <p>TAC</p> <p>FAC</p> <p>PH</p> <p>CYA</p> <p>Filter Pressure</p> <p>Chemicals Added:</p> <p>Sanitizer PH</p> <p>Algaecide CLAR</p> <p>Bicarb CALC</p> <p>Shock S&S</p> <p>PHOS2(Pro)</p> <p>CYA</p> <p>Other</p>
<p>Date: _____</p> <p>Filter</p> <p>CAH Clarity</p> <p>TAC</p> <p>FAC</p> <p>PH</p> <p>CYA</p> <p>Filter Pressure</p> <p>Chemicals Added:</p> <p>Sanitizer PH</p> <p>Algaecide CLAR</p> <p>Bicarb CALC</p> <p>Shock S&S</p> <p>PHOS2(Pro)</p> <p>CYA</p> <p>Other</p>	<p>Date: _____</p> <p>Filter</p> <p>CAH Clarity</p> <p>TAC</p> <p>FAC</p> <p>PH</p> <p>CYA</p> <p>Filter Pressure</p> <p>Chemicals Added:</p> <p>Sanitizer PH</p> <p>Algaecide CLAR</p> <p>Bicarb CALC</p> <p>Shock S&S</p> <p>PHOS2(Pro)</p> <p>CYA</p> <p>Other</p>	<p>Date: _____</p> <p>Filter</p> <p>CAH Clarity</p> <p>TAC</p> <p>FAC</p> <p>PH</p> <p>CYA</p> <p>Filter Pressure</p> <p>Chemicals Added:</p> <p>Sanitizer PH</p> <p>Algaecide CLAR</p> <p>Bicarb CALC</p> <p>Shock S&S</p> <p>PHOS2(Pro)</p> <p>CYA</p> <p>Other</p>